







Option Pion anti-dégondage



Option Paumelle femelle échançrée

|                  | Hauteur vantail : H | Entraxe: X |
|------------------|---------------------|------------|
| 2 paumelles      | 700 - 799           | 318        |
|                  | 800 - 899           | 418        |
|                  | 900 - 999           | 518        |
|                  | 1000 - 1099         | 618        |
|                  | 1100 - 1199         | 718        |
|                  | 1200 - 1299         | 818        |
| 3 ou 4 paumelles | 1300 - 1399         | 459        |
|                  | 1400 - 1499         | 509        |
|                  | 1500 - 1599         | 559        |
|                  | 1600 - 1699         | 609        |
|                  | 1700 - 1799         | 659        |
|                  | 1800 - 1899         | 709        |
|                  | 1900 - 1999         | 759        |
|                  | 2000 - 2099         | 809        |
|                  | 2100 - 2199         | 859        |
|                  | 2200 - 2299         | 909        |
|                  | 2300 - 2399         | 959        |
|                  | 2400 - 2499         | 1009       |
|                  | 2500 - 2599         | 1059       |
|                  | 2600 - 2699         | 1109       |
|                  | 2700 - 2799         | 1159       |
|                  | 2800 - 2899         | 1209       |



seulement huisserie bois



|                  | Hauteur vantail : H | Entraxe: X |
|------------------|---------------------|------------|
| 3 ou 4 paumelles | 1800 - 1899         | 709        |
|                  | 1900 - 1999         | 759        |
|                  | 2000 - 2099         | 809        |
|                  | 2100 - 2199         | 859        |
|                  | 2200 - 2299         | 909        |
|                  | 2300 - 2399         | 959        |
|                  | 2400 - 2499         | 1009       |
|                  | 2500 - 2599         | 1059       |
|                  | 2600 - 2699         | 1109       |
|                  | 2700 - 2799         | 1159       |
|                  | 2800 - 2899         | 1209       |






| Hauteur vantail | Entraxe paumelle x |
|-----------------|--------------------|
| 1300 - 1399     | 459                |
| 1400 - 1499     | 509                |
| 1500 - 1599     | 559                |
| 1600 - 1699     | 609                |
| 1700 - 1799     | 659                |
| 1800 - 1899     | 709                |
| 1900 - 1999     | 759                |
| 2000 - 2099     | 809                |
| 2100 - 2199     | 859                |
| 2200 - 2299     | 909                |
| 2300 - 2399     | 959                |
| 2400 - 2499     | 1009               |
| 2500 - 2599     | 1059               |
| 2600 - 2699     | 1109               |
| 2700 - 2799     | 1159               |




Paumelle de 130  
déportée pour  
école maternelle  
3° et 4° paumelles sur vantail

|                  | Hauteur vantail : H | Entraxe : X |
|------------------|---------------------|-------------|
| 2 paumelles      | 700 - 799           | 318         |
|                  | 800 - 899           | 418         |
|                  | 900 - 999           | 518         |
|                  | 1000 - 1099         | 618         |
|                  | 1100 - 1199         | 718         |
|                  | 1200 - 1299         | 818         |
| 3 ou 4 paumelles | 1300 - 1399         | 459         |
|                  | 1400 - 1499         | 509         |
|                  | 1500 - 1599         | 559         |
|                  | 1600 - 1699         | 609         |
|                  | 1700 - 1799         | 659         |
|                  | 1800 - 1899         | 709         |
|                  | 1900 - 1999         | 759         |
|                  | 2000 - 2099         | 809         |
|                  | 2100 - 2199         | 859         |
|                  | 2200 - 2299         | 909         |
|                  | 2300 - 2399         | 959         |
|                  | 2400 - 2499         | 1009        |
|                  | 2500 - 2599         | 1059        |
|                  | 2600 - 2699         | 1109        |
|                  | 2700 - 2799         | 1159        |
|                  | 2800 - 2899         | 1209        |





Paumelle de 130  
déportée pour  
école maternelle  
3° et 4° paumelles  
sur vantail



Joint anti-pince  
doigts pour  
Ecole Maternelle

|                  | Hauteur vantail : H | Entraxe : X |
|------------------|---------------------|-------------|
| 3 ou 4 paumelles | 1800 - 1899         | 709         |
|                  | 1900 - 1999         | 759         |
|                  | 2000 - 2099         | 809         |
|                  | 2100 - 2199         | 859         |
|                  | 2200 - 2299         | 909         |
|                  | 2300 - 2399         | 959         |
|                  | 2400 - 2499         | 1009        |
|                  | 2500 - 2599         | 1059        |
|                  | 2600 - 2699         | 1109        |
|                  | 2700 - 2799         | 1159        |
|                  | 2800 - 2899         | 1209        |